

# Cold Rolled Radio Shuttle Pallet Racking System With Remote Control Operation

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification: ISO9001 CE SGS
- Model Number: Radio Shuttle Racking
- Minimum Order
   Quantity:
- Price:
- Packaging Details: Standard Export
- Delivery Time: 20 days after deposit
- Payment Terms: 30% deposit, 70% before delivery

China

Qifei

10

50

Supply Ability: 8000ton/year



## **Product Specification**

| Technology:                          | Cold Rolled                                |
|--------------------------------------|--|
| • Size:                              | Customized                                 |
| Delivery Port:                       | Shanghai/Nanjing                           |
| Advantages:                          | High Density, Space Optimization           |
| Design:                              | Customized                                 |
| Storage:                             | Pallet                                     |
| Bearing:                             | 500-2000KGS                                |
| • Type:                              | Radio Shuttle Racking                      |
| • Use:                               | Automated Storage System                   |
| Automation:                          | Heavy Duty Type, Semi-automatic Type       |
| Operation:                           | Forklift + Motor Shuttle                   |
| Weight Capacity:                     | 10000-13000 Kg                             |
| <ul> <li>Safety Features:</li> </ul> | Emergency Stop Button Safety Light Curtain |



## More Images









### **Product Description**

Cold Rolled Radio Shuttle Pallet Runner Racking System With Remote Control Operation

### **Product Description:**

The shuttle racking system is a high-density storage system composed of **racks, remote-controlled shuttles and forklifts**. Utilizing the characteristics of the shuttle car itself, combined with the son and mother car, stacker, warehouse management software, etc., the system can be transformed into a shuttle stereoscopic ware-house system. It is suitable for storing large quantity of goods with less types,goods of batchedworking and small range of selection. The goods are stored on the support guide rail with the pallet one after another in the direction of depth, increasing the space availability. It is quite convenient for fork truck drives into lane directly to store or take out the goods.

#### **Applications:**

The Radio Shuttle Racking System is a **highly efficient storage solution** that is designed to increase the productivity of the warehouse.

The system is **equipped with a shuttle** that moves along the rails to transport the pallets to the desired location. This eliminates the need for forklifts to move the pallets around the warehouse, which **saves time and reduces the risk of** accidents.

The system is capable of bearing a weight of 500-2000KGS, depending on the specific needs of the business. It can accommodate pallets of different sizes and weights.

The system is designed to maximize the use of space, which means that businesses can store more products in the same amount of space. This reduces the need for additional warehouse space, which **saves businesses money** in the long run.

#### **Customization:**

| Product NameAutomated warehouse radio shuttle rackingUpright Section80x60, 90x67, 100x67, 120x95mm etc,<br>thickness: 1.8-3.0mmBeam Section100x50, 120x50, 130x50, 140x50, 160x50mm,<br>thickness 1.5-2.0mmStandard ColorBlue(RAL5017), Orange(RAL2004), Green(RAL6000), Light Grey (RAL7035), Yellow(RAL1037)Adjustable Pitch50mm,50.8mm,76.2mmApplicationNormal Temperature or FreezerBack-up ServiceInstallation Drawing/On Line Instruction |                  |   |  |
|---|------------------|---|--|
| Upright Section<br>thickness: 1.8-3.0mmBeam Section100x50, 120x50, 130x50, 140x50, 160x50mm,<br>thickness 1.5-2.0mmStandard ColorBlue(RAL5017), Orange(RAL2004), Green(RAL6000), Light Grey (RAL7035), Yellow(RAL1037)Adjustable Pitch50mm,50.8mm,76.2mmApplicationNormal Temperature or Freezer  | Product Name     | Automated warehouse radio shuttle racking   |  |
| Beam Section       thickness 1.5-2.0mm         Standard Color       Blue(RAL5017), Orange(RAL2004), Green(RAL6000), Light Grey (RAL7035), Yellow(RAL1037)         Adjustable Pitch       50mm,50.8mm,76.2mm         Application       Normal Temperature or Freezer   | Upright Section  |   |  |
| Adjustable Pitch     50mm,50.8mm,76.2mm       Application     Normal Temperature or Freezer   | Beam Section     |   |  |
| Application Normal Temperature or Freezer   | Standard Color   | Blue(RAL5017), Orange(RAL2004), Green(RAL6000), Light Grey (RAL7035), Yellow(RAL1037) |  |
|   | Adjustable Pitch | tch 50mm,50.8mm,76.2mm  |  |
| Back-up Service Installation Drawing/On Line Instruction  | Application      | Application Normal Temperature or Freezer   |  |
|   | Back-up Service  | Installation Drawing/On Line Instruction  |  |

#### Support and Services:

The Radio Shuttle Racking product technical support and services include:

- Installation and assembly instructions

- Troubleshooting guides

- Remote technical support

- Customized solutions for specific customer needs

### **Packing and Shipping:**

#### Packaging:

The Radio Shuttle Racking product will be packaged securely to ensure safe delivery. All components will be individually wrapped and cushioned to prevent damage during transit. The packaging will include product manuals and assembly instructions.



+86-15161451461 Sharonyan@qifeirack.com sharonyan@qifeirack.com
Add: #739 Dixiu Road Jiangning District Nanjing China