

Closed Open Iron Wire Mesh Guard Workshop Isolation Fence Equipment For **Robot Barrier**

Basic Information



Product Specification


Model NO.: QF-Isolation Barrier

• Material: Steel Structure: Rack

Pallet Racking • Type: · Mobility: Adjustable Height: 0-5m 200 Weight: · Closed: Open

• Development: Conventional • Serviceability: Common Use Customized · Color: 15 Days . Lead Time: . Raw Material: Q235 Surface Treatment: **Powder Coating**

Transport Package: Safe



More Images









Product Description



Product Description

A guardrail is a device used for protection and isolation, usually composed of cross bars, vertical bars and columns, used to limit the movement or range of activities of people, vehicles or other items to prevent accidents or dangerous situations. It is used in factories, workshops and other places to isolate the working area to ensure the safety of workers and production order.



Specification

Feature Easily Assembled, Sustainable, Rodent Proof, Rot Proof, TFT, Waterproof

Usage Workshop warehouse isolation

Fencing, Trellis & Gates, security fence, Driveway Gates,

Type Fence Accessories, Fence Hardware, Fence Panels,

Fence Rails, Workshop warehouse isolation

Service product marketing copy

Product robot safety fence

Application Machine Guarding, Machine Safety, Robot Guarding

Safet

Color Customized Color Keywords robot safety fence

Function Easy to assemble long service life

Size Customer Size





Detailed Photos

Surface dipping process, pure color, not easy to fade.

Easy to disassemble and assemble, good reusability, and the fence can be rearranged as needed.

Carefully polished, strict requirements for smooth, harsh process can be customized according to customer needs





Advantages of Workshop isolation network

They are different from woven wire mesh fences. Due to the line welding processing, it has more firm structure and longer service life compared with woven wire fences.

Hot dipped zinc coated welded wire fence offers thicker zinc plating than electro galvanized one and stronger zinc plating adhesion, while costs a little higher.

PVC coated welded wire fence has more colors available than galvanized welded fences.

The surface treatment of welded wire fence include electro galvanized, hot-dipped galvanized, PVC coated

Parameters of Workshop isolation network

Fence Height	Panel	Wire	Mesh size	Folds No.	Post style	Post size	Post Length
(cm)	Width	Diameter	(mm)	1 0103 140.	1 OSt Style	(mm)	(cm)
103				2		40x60x1.5	150
123				2	Square post 1	40x60x1.8	170
150				2/3		40x60x2	197
153	200cm	3.5mm 4.0mm	50x50 50x100	2/3	Square post 2	60x60x1.5	200
170				3		60x60x1.8	217
173		4.5mm	50x150	3	oquale post 2	60x60x2	220
180	225cm	5.0mm	50x200	3		60x60x2.5	227
193	250cm	6.0mm	60x120	3	Peach post	50x70	240
200	2300111	8.0mm	75x150	3/4		70x100	250
203				3/4	Holland post	48x1.5	250
240				4	i ioliana post	70.71.5	290



Co-operation Process



Packaging & Shipping

Packaging







Shipping







MOT AS YOUR REQUEST

AIR FREIGHT FOR URGENT Transit time:5-7 days

OCEAN SHIPPING NORMALLY Transit time:15-40 days

Company Profile

Jiangsu Qifei Intelligent Storage Equipment Co., Ltd,

established in 2020, is one of the leading manufacturer which specialized in designing & manufacturing industrial warehouse storage racks, automation warehouse system and professional logistics equipment, we aim to provide cost-effective and space utilization storage solutions for all customers worldwide.

We have powerful R&D teams,including 8 experienced design engineers.

Qifei's workshop equipped with 6 automatic production lines of rolling and curved steel and two static powder coating lines, which ensures the high quality of our products. All our products and operation are ISO:9001 certified, and all our racks / shelving are approved by SGS company.

Our main products are heavy duty rack, medium duty rack, light duty rack, cantilever rack, mezzanine floor, drive in rack, and so on.

Welcome to visit our company.







FAQ

- Q: Are you manufacturer or trading company?
- A: We are experienced manufacturer in the warehouse storage industry.
- Q: How is your delivery time?
- A: Generally, it is within 25 days against formal order and deposit. It also depends on other factors such as order quantity.
- Q: What is the payment term?
- A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.
- Q: What is your terms of delivery?
- A: EXW, FOB
- Q: Are samples available?
- A: Yes, We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost and the courier cost.
- Q: What is the minimum order quantity?
- A: Generally, MOQ is 10sets.
- Q: Can I make my own brand and designed products?
- A: Yes, we do both OEM and ODM, so you can make your own product with your own logo.
- Q: Where is your factory? Can I visit it?
- A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.
- Q: What parameters do I need to provide for an accurate quotation?
- 1) Quantity(set)
- 2) Size: Length*Width*Height (mm) or samples or technical drawings
- 3) Load capacity per layer(kg)
- 4) Number of layers
- Q: I don't have drawing or picture available for the products, could you design it for me?
- A: Yes, we can make the best suitable design for you but need to knowmore details.
- Q: Do I get any guarantee from your company?
- A: 3~10 years warranty
- Q: How do you make our business long-term and good relationship?
- A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit;



Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.



+86-15161451461



sharonyan@qifeirack.com



warehouse-rackings.com